

VALLEY STEEL AND TRIM

— *PRODUCT CATALOG* —



VALLEY

STEEL & TRIM



QUALITY
CRAFTSMANSHIP



CUSTOM
SOLUTIONS



DURABLE
CONSTRUCTION




TRUSTED
PARTNER



TABLE OF CONTENTS

Valley Steel and Trim Color Offerings	3	Gutter Apron	15
R Panel	4	Inside Corner	15
R Panel Reverse Panel	5	7/8" J Trim	15
9-36 Panel	6	1 1/4" J Trim	15
NEW! SnapLok 100	7	7" Overhead Door Trim w/ Drip	15
NEW! 8" Board & Batten	8	9" Overhead Door Trim w/ Drip	15
R Panel Standard Trim	9	Post Cover	15
9-36 Standard Trim	10	3 1/2" Fascia / Post Trim	15
1 1/2" x 1 1/2" Angle Flashing	11	4 1/2" Fascia / Post Trim	16
2" x 2" Angle Flashing	11	5 1/2" Fascia / Post Trim	16
3" x 3" Angle Flashing	11	6 1/2" Fascia / Post Trim	16
Astragal Trim	11	7 1/2" Fascia / Post Trim	16
Base Moulding / Rat Guard	11	8 1/2" Fascia / Post Trim	16
Boxed End Fascia	11	9 1/2" Fascia / Post Trim	16
Boxed Soffit Trim	11	3" x 3" Rake & Corner	16
Bull Nose Trim	11	5" x 5" Rake & Corner	16
Classic Corner Trim	12	5" x 7" Rake Trim	17
Classic Rake Trim	12	12" Ridge Cap	17
Classic Ridge Cap	12	14" Ridge Cap	17
Door Header	12	16" Ridge Cap	17
3 1/4" Door Jamb Trim	12	20" Ridge Cap	17
7" Door Jamb Trim	12	Roof Edge – w/ Drip Cap	17
9" Door Jamb Trim	12	Sidewall Flashing	17
7" Door Trim w/ J.	12	Snow Guard	17
9" Door Trim w/ J.	13	4" Hog Barn Snow Guard	18
7/8" Double Angle Trim	13	6" Hog Barn Snow Guard	18
1 1/2" Double Angle Trim	13	Soffit Trim	18
1/2" Double J Trim	13	Hog Barn Soffit Trim	18
7/8" Double J Trim	13	Starter Strip / Box Base	18
Drip Cap	13	Track Board Cover	18
3" Eave Trim	13	Track Cover	18
4" Eave Trim	13	Universal Rake	18
6" Eave Trim	14	Universal Sidewall	19
3" Endwall / Sidewall Trim	14	Valley Trim – 20"	19
4" Endwall / Sidewall Trim	14	Valley Trim – 41"	19
5" Endwall / Sidewall Trim	14	Vertical Door Trim	19
6" Endwall / Sidewall Trim	14		
1/2" F Trim	14		
7/8" F Trim	14		
Floating Base	14		




STEEL PANEL COLOR OPTIONS


PREMIUM SMP PAINTED STEEL • HIGH-PERFORMANCE FINISH • BUILT TO LAST

Colors shown are for reference only. Actual colors may vary slightly due to printing and monitor settings.

WHITES




Arctic White



Polar White


NEUTRALS



Light Stone



Tan



Taupe



Buckskin

GRAYS



Ash Gray



Old Town Gray



Charcoal Gray



Burnished Slate




Black

BLUES & GREENS



Ocean Blue



Gallery Blue



Ivy Green

REDS & BROWNS



Brite Red



Dark Red



Rural Red



Burgundy




Brown



Copper
Metallic

SPECIAL FINISH




Acrylic Galvalume

Unpainted Galvalume® steel with a clear acrylic coating for superior corrosion resistance and long-lasting durability.



40-YEAR PAINT WARRANTY

Industry-leading protection you can count on.



PREMIUM SMP COATING

Fade-resistant color and excellent weatherability.



MADE IN SOUTH DAKOTA

Proudly made in the USA with American steel.



533 Fordham Dr.
Carpenter, SD 57332



605-532-3837




valleysteelandtrim.com

R Panel



The R panel profile is the panel of choice for industrial and commercial metal roofing and siding application, and is an excellent choice for pre-engineered metal buildings. The R panel profile provides the strength and durability to withstand the toughest conditions and is ideal for slopes as low as 1/12.



R-Panel Application/Specifications

- Use: Roof/Wall
- Slope: As low as 1/12
- Coverage: 36" wide
- Length: 3' to 45'
- Rib Height: 1.25" on 12" centers
- Fastener System: Exposed Fastener
- Recommended Substrate: Open Framing or Solid Substrate



Recommended Accessories	
Trim/Flashing	Closures
See Trim Section	LP R Large Tab (Vented)
	R Panel Large Tab
	R Panel Small Tab
Fasteners	Miscellaneous
MG#10x1.5" (wood)	Butyl Tape
MG#10x2" (wood)	Roof Boots
MD#12x__" (metal)	X Seal
ST#14x7/8" (laps)	Metal Roof Sealant
	Synthetic Underlayment

Recommended Fastener Patterns

Overlap Recommended fastener pattern Underlap

Recommended fastener pattern at eaves, ridges & endlaps


Side Lap fasteners recommended when installing as roof panel

Pre drilling sheets in bundles is not recommended during installation for any steel sheets as this can cause hot burs which can rust to the pre painted or bare sheet and create a rusting appearance around drill holes



R Panel Reverse Panel

The R Panel Reverse profile is an excellent choice for exterior walls on pre-engineered, insulated metal buildings. The unique profile allows the panel to compress any pre-engineered drape insulation while causing minimal distortion to the panel itself.



R Panel Reverse Application/Specifications

Use: Wall/Liner

Coverage: 36" wide

Length: 3' to 45'


Rib Height: 1.25" reverse rib on 12" centers

Fastener System: Exposed Fastener

Recommended Substrate: Open Spacing or Solid Substrate

Recommended Accessories	
Trim/Flashing	Closures
See Trim Section	R Panel Large Tab
	R Panel Small Tab
Fasteners	Miscellaneous
MG#10x1.5" (wood)	Butyl Tape
MG#10x2" (wood)	Roof Boots
MD#12x__" (metal)	X Seal
ST#14x7/8" (laps)	Metal Roof Sealant
	Synthetic Underlayment

Recommended Fastener Patterns



Recommended fastener pattern at eaves, ridges & endlaps


Side Lap fasteners recommended when installing as roof panel
Pre drilling sheets in bundles is not recommended during installation for any steel sheets as this can cause hot burs which can rust to the pre painted or bare sheet and create a rusting appearance around drill holes



9-36 Panel



The 9-36 profile is designed specifically with the agricultural industry in mind. The 9-36 profile is the most economical roofing and siding panel we carry, making it the perfect choice for shops, barns, and storage buildings.



9-36 Application/Specifications

- Use: Roof/Wall/Liner
- Slope: 3/12 and greater
- Coverage: 36" wide
- Length: 3' to 45'
- Rib Height: 3/4" on 9" centres
- Fastener System: Exposed Fastener
- Recommended Substrate: Open Framing or Solid Substrate




Recommended Accessories	
Trim/Flashing	Closures
See Trim Section	LP 9-36 Large Tab (Vented)
	9-36 Large Tab
	9-36 Small Tab
Fasteners	Miscellaneous
MG#10x1.5" (wood)	Butyl Tape
MG#10x2" (wood)	Roof Boots
MD#12x__" (metal)	X Seal
ST#14x7/8" (laps)	Metal Roof Sealant
	Synthetic Underlayment

Recommended Fastener Patterns

Overlap Recommended fastener pattern Underlap


Recommended fastener pattern at eaves, ridges & endlaps
Side Lap fasteners recommended when installing as roof panel

Pre drilling sheets in bundles is not recommended during installation for any steel sheets as this can cause hot burs which can rust to the pre painted or bare sheet and create a rusting appearance around drill holes



SnapLok 100

A 16-inch concealed-fastener standing-seam panel. SnapLok 100 locks together edge-to-edge with no exposed screws on the field of the roof - the clean architectural lines of standing seam without specialized seaming clips and tools.





SnapLok 100 - profile cross-section

Application / Specifications

Use	Roof / Wall
Coverage width	16"
Seam height	1"
Fastener System	Concealed (snap-lock)
Minimum slope	3/12 and greater
Recommended Substrate	Solid substrate (plywood / sheathing)
Gauge	24 GA / 26 GA
Coating	SMP - silicone-modified polyester
Lengths	Cut to length, up to 50 ft

8" Board & Batten

A bold, dimensional board-and-batten profile for sidewalls and accent walls. The raised batten casts a deep shadow line for a modern agricultural and residential look - roll-formed to length in any of our stock colors.



8" Board & Batten - profile cross-section

Application / Specifications

Use	Wall / Siding
Coverage width	8"
Profile / rib height	7/16"
Module	5-15/16" flat + 2-1/16" batten
Fastener System	Exposed fastener
Application	Vertical or horizontal walls
Recommended Substrate	Open framing or solid substrate
Gauge	29 GA / 26 GA
Coating	SMP - silicone-modified polyester
Lengths	Cut to length, up to 50 ft

R Panel Standard Trim (1-1/4" Rib Height)

The following trim are designed as a guideline for use with our R Panel profile.
Our manufacturing branch is outfitted with breaks and shears for bending and breaking standard and custom trim. Trim are produced in up 20' long lengths, in any of our stock colors or gauges.

STANDARD TRIMS: R Panel (1-1/4" Rib Height)

RIDGE ROLL Bends = 9 Girth = 12 SF #01	GABLE Bends = 8 Girth = 13 SF #34	LARGE EAVE Bends = 4 Girth = 8 SF #03
DRIP Bends = 4 Girth = 5 SF #24	BASE Bends = 4 Girth = 7 SF #22	J-TRIM Bends = 4 Girth 6.5 SF #21
OUTSIDE CORNER Bends = 9 Girth = 15 SF #35	RESIDENTIAL SMALL EAVE Bends = 4 Girth = 4.5 SF #17	INSIDE CORNER Bends = 9 Girth = 13 SF #38
COMMERCIAL OUTSIDE CORNER Bends = 5 Girth = 9 SF #23	SINGLE SLOPE CAP Bends = 6 Girth = 11.625 SF #27	

9-36 Standard Trim (3/4" Rib Height)

The following trim are designed as a guideline for use with our 9-36 profile.
Our manufacturing branch is outfitted with breaks and shears for bending and breaking standard and custom trim. Trim are produced in up to 20' long lengths, in any of our stock colors or gauges.


STANDARD TRIMS: 9-36 (3/4" Rib Height)

RIDGE ROLL SF #01	GABLE SF #02	LARGE E AVE SF #03
DRIP SF #06	BASE SF #07	J-TRIM SF #08
OUTSIDE CORNER SF #10	RESIDENTIAL SMALL EAVE SF #17	INSIDE CORNER SF #9
CEILING TO WALL SF #25	SINGLE SLOPE CAP SF #27	SIDE WALL SF #5


Stock Trim Length is 10'-3"

Custom Lengths Available Up to 20'-3"


1 1/2" ANGLE FLASHING




2" ANGLE FLASHING




3" ANGLE FLASHING




ASTRAGAL TRIM




RAT GUARD




BOXED END FASCIA



BOXED SOFFIT TRIM




BULL NOSE TRIM




Stock Trim Length is 10'-3"


CLASSIC CORNER TRIM




CLASSIC RAKE TRIM




CLASSIC RIDGE CAP




DOOR HEADER




3 1/4" DOOR JAMB




7" DOOR JAMB TRIM



9" DOOR JAMB TRIM




7" DOOR TRIM




Stock Trim Length is 10'-3"

Custom Lengths Available Up to 20'-3"


9" DOOR TRIM




7/8" DOUBLE ANGLE TRIM




1 1/2" DOUBLE ANGLE




1/2" DOUBLE J TRIM




7/8" DOUBLE J TRIM




DRIP CAP TRIM



3" EAVE TRIP




4" EAVE TRIP




Stock Trim Length is 10'-3"


6" EAVE TRIM




3" ENDWALL SIDEWALL




4" ENDWALL SIDEWALL




5" ENDWALL SIDEWALL




6" ENDWALL SIDEWALL




1/2" F TRIM



7/8" F TRIM




FLOATING BASE TRIM




Stock Trim Length is 10'-3"

Custom Lengths Available Up to 20'-3"


GUTTER APRON




INSIDE CORNER




7/8" J TRIM




1 1/4" J TRIM




7" OVERHEAD DOOR WITH DRIP




9" OVERHEAD DOOR WITH DRIP



POST COVER




3 1/2" FASCIA / POST TRIM




Stock Trim Length is 10'-3"


4 1/2" FASCIA / POST TRIM




5 1/2" FASCIA / POST TRIM




6 1/2" FASCIA / POST TRIM




7 1/2" FASCIA / POST TRIM




8 1/2" FASCIA / POST TRIM




9 1/2" FASCIA / POST TRIM



3" X 3" RAKE & CORNER




5" X 5" RAKE & CORNER




Stock Trim Length is 10'-3"

Custom Lengths Available Up to 20'-3"


5" X 7" RAKE TRIM




12" RIDGE CAP




14" RIDGE CAP




16" RIDGE CAP




20" RIDGE CAP




ROOF EDGE W/ DRIP



SIDEWALL FLASHING




SNOW GUARD




Stock Trim Length is 10'-3"


4" HOG BARN SNOW GUARD




6" HOG BARN SNOW GUARD




SOFFIT TRIM




HOG BARN SOFFIT TRIM




STARTER STRIP




TRACK BOARD COVER



TRACK COVER




UNIVERSAL RAKE



Stock Trim Length is 10'-3"

Custom Lengths Available Up to 20'-3"

UNIVERSAL SIDEWALL




VALLEY TRIM

Standard valley does not have hemmed edges.
Please specify if you want edges
hemmed for water shield.



VERTICAL DOOR TRIM



Remember, when you order trim, our stock measures 10' 3".

The shortest piece sold is 10' 3", if your measurement is less you will have to snip it to your specifications once in your possession.

'CUSTOM' CUTS ARE AS FOLLOWS: 12' 3", 14' 3", 16' 3", 18' 3", 20' 3".
IF AN ORDER REQUIRES AN EXACT CUT (UP TO 21')
A SURCHARGE WILL BE APPLIED.



NOTES & SKETCHES

Use this page to plan your project, jot down measurements, ideas, and details for your build.


PROJECT DETAILS

Project Name: _____ Date: _____

Location: _____

Measurements / Dimensions: _____

Notes: _____





THANK YOU




FOR CHOOSING VALLEY STEEL & TRIM

We appreciate the opportunity to be part of your project. Valley Steel & Trim is committed to delivering high-quality, roll-formed steel panels and trim with dependable service, fast turnaround, and a dedication to your satisfaction.

OUR PRODUCTS




ROOFING PANELS




WALL PANELS




STANDING SEAM SYSTEMS



BOARD & BATTEN PANELS



CUSTOM TRIM & FLASHING



ROLL-FORMED TO LENGTH

WHY CHOOSE US



PREMIUM SMP COATED STEEL



PRECISION ROLL-FORMED PRODUCTS



CUT-TO-LENGTH MANUFACTURING



CUSTOM TRIM SOLUTIONS



FAST TURNAROUND TIMES



LOCAL CUSTOMER SUPPORT



QUALITY STEEL. *BUILT TO LAST.*



533 Fordham Dr.
Carpenter, SD 57332



605-532-3837



sfordham.mfg@gmail.com



valleysteelandtrim.com



ROLL-FORMED STEEL PANELS,
TRIM & ACCESSORIES

Valley Steel & Trim



533 Fordham Dr.
Carpenter, SD 57332



Phone:
605-532-3837



Cell:
605-233-0356



Fax:
605-532-3764



Email:
Sfordham.mfg@gmail.com



Website:
valleysteelandtrim.com



SCAN TO SAVE CONTACT
Opens on iPhone automatically

CUT TO LENGTH • SHIPPED FROM CARPENTER, SOUTH DAKOTA